



Legislation Text

File #: RES PH 17-299, **Version:** 1

Approval to accept funds from Ramsey County in the amount of \$100,000, the Metropolitan Council in the amount of \$100,000, and Ever-Green Energy in the amount of \$10,000, for a total of \$210,000, and to amend the financing and spending plan for the Department of Parks and Recreation for the Great River Passage River Balcony project.

WHEREAS, Ramsey County has committed \$100,000 for the schematic design of the Great River Passage River Balcony project; and

WHEREAS, the Metropolitan Council has committed \$100,000 for the schematic design of the Great River Passage River Balcony project (titled Ramsey West and River Balcony Connection project) CF #17-1064; and

WHEREAS, Ever-Green Energy has committed \$10,000 for the schematic design of the Great River Passage River Balcony project; and

WHEREAS, said funding has been specifically designated for the schematic design of the Great River Passage River Balcony project; and

WHEREAS, it is the desire of the Department of Parks and Recreation to establish a financing and spending budget for the Great River Passage River Balcony project; and

WHEREAS, the City Council accepts and thanks Ramsey County, the Metropolitan Council, and Ever-Green Energy for their generous funding; and

WHEREAS, the Mayor, pursuant to Section 10.07.1 of the Charter of the City of Saint Paul, does certify that there are available for appropriation funds of \$210,000 in excess of those estimated in the 2017 Capital Improvement Budget; now, therefore, be it

RESOLVED, by the Council of the City of Saint Paul, upon the recommendation of the Mayor, and the advice of the Long Range Capital Improvement Committee, that \$210,000 is available for appropriation in the 2017 Capital Improvement Budget, and said budget, as heretofore adopted by Council, are hereby further amended as outlined in the attached Financial Analysis.

See Attachment

The Saint Paul Long-Range Capital Improvement Budget Committee received this request on October 9, 2017 and recommended approval.