

## City of Saint Paul

City Hall and Court House 15 West Kellogg Boulevard Phone: 651-266-8560

## **Legislation Text**

File #: RLH TA 18-584, Version: 3

Ratifying the Appealed Special Tax Assessment for property at 1083 MARION STREET. (File No. J1903A, Assessment No. 198502; amended to File No. J1903A2, Assessment No. 198531) (Public hearing continued from January 16)

Date of LH: 10/16/18 @ 9 AM

Date of CPH: 01/16/19

Cost: \$288

Service Charge: \$162 Total Assessment: \$450

**Gold Card Returned by**: Jesus Pliego Martinez **Type of Order/Fee**: Summary Abatement Order

Nuisance: Door with glass next to garage

Date of Orders: 6/29/18 Compliance Date: 7/6/18 Re-Check Date: 7/6/18 Date Work Done: 7/10/18 Work Order #: 18-080776 Returned Mail?: No

Comments:

History of Orders on Property: Vehicle on 10/17/17 (resolved), one in 2015 for metal box springs, 2 in 2014

## **AMENDED 10/16/19**

WHEREAS, the Office of Financial Services Real Estate Section has attached to this Council File both a report of completion outlining the costs and fees associated with Property Clean Up services during July 2 to 12, 2018. (File No. J1903A, Assessment No. 198502 File No. J1903A2, Assessment No. 198531) and the assessment roll including all properties for which these assessments are proposed for Council ratification; and

WHEREAS, the City Council's Legislative Hearing Officer has reviewed an appeal of this assessment and developed a recommendation for the City Council with respect to this assessment; and

WHEREAS, a public hearing having been conducted for the above improvement, and said assessment having been further considered by the Council and having been considered financially satisfactory; Now, Therefore, Be It

RESOLVED, that pursuant to Chapter 14 of the Saint Paul City Charter, said assessment is hereby laid over to October 16, 2019 Public Hearing and if no same or similar violation(s), will reduce from \$450 to \$225 ratified and payable in 2 years, as there had been one same or similar violation.