

City of Saint Paul

City Hall and Court House 15 West Kellogg Boulevard Phone: 651-266-8560

Legislation Text

File #: RLH TA 23-189, Version: 2

Deleting the Appealed Special Tax Assessment for property at 2084 REANEY AVENUE. (File No. J2320A, Assessment No. 238523)

Date of LH: 5/16/23 **Time of LH**: 9 am **Date of CPH**: 6/28/23

Cost: \$160

Service Charge: \$162 Total Assessment: \$322

Name of Property Owner/Representative of Management Co.: Blake Suddath

Type of Order/Fee: Summary Abatement Order

Nuisance: Snow&lce Date of Orders: 1/9/23

Compliance Date: 24 hours of most recent snowfall or ice

Re-Check Date: 1/12/23 **Date Work Done**: 2/1/23 **Work Order #**: 24-004891

Returned Mail?: No. Mails were sent to Blake Suddath at 2084 Reaney, Melissa Suddath at 2084 Reaney

and Melissa Suddath/Blake Suddath at 2084 Reaney and occupant

Comments: see attached appeal email; LHO recommends deletion of the assessment. Pretty cleaned up

and street corner on street was what got plowed by reviewing the video.

History of Orders on Property: 12/27/22, 11/16/22, 2/10/22-all garbage which were abated by owner

WHEREAS, the Office of Financial Services Assessment Section has attached to this Council File both a report of completion outlining the costs and fees associated with Property Clean Up services during January 18 to February 18, 2023. (File No. J2320A, Assessment No. 238523) and the assessment roll including all properties for which these assessments are proposed for Council ratification; and

WHEREAS, the City Council's Legislative Hearing Officer has reviewed an appeal of this assessment and developed a recommendation for the City Council with respect to this assessment; and

WHEREAS, a public hearing having been conducted for the above improvement, and said assessment having been further considered by the Council and having been considered financially satisfactory; Now, Therefore, Be It

RESOLVED, that pursuant to Chapter 14 of the Saint Paul City Charter, said assessment is hereby deleted.