



Saint Paul Fire Department
645 Randolph Avenue
Saint Paul, MN 55102
(651) 224-7811

NFIRS-1 Basic

A

62210	MN	08	03	2022	Station #7 (07)	SPFD220803034348	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B Location Type

Census tract:
0317.00

- ☒ Street Address
☐ Intersection
☐ In Front Of
☐ Rear Of
☐ Adjacent To
☐ Directions
☐ US National Grid

619		MENDOTA	ST-Street	
Number	Prefix	Street or Highway	Street Type	Suffix

	Saint Paul	MN	55106
Apt./Suite/Room	City	State	Zip Code

Cross Street

C Incident Type
111-Building fire

E1 Dates and Times

Alarm	08	03	2022	20:28
Arrival	08	03	2022	20:31
Controlled				
Last Unit Cleared	08	03	2022	23:08

E2 Shifts and Alarms

A	1	D3
Shift or Platoon	Alarms	District

D Aid Given Or Received

- ☐ 1 Mutual Aid Received
☐ 2 Auto. Aid Received
☐ 3 Mutual Aid Given
☐ 4 Auto. Aid Given
☐ 5 Other Aid Given
☒ None

Their FDID	Their State
Their Incident Number	

E3 Special Studies

9244	3 - No, COVID 19 was not a factor
ID#	Value

F Actions Taken

11-Extinguishment by fire service personnel

Primary Action Taken

12-Salvage & overhaul

Additional Action Taken

31-Provide first aid & check for injuries

Additional Action Taken

84-Refer to proper authority

Additional Action Taken

G1 Resources

- ☒ Apparatus or Personnel Module is used.

Apparatus Personnel	
Suppression	1 0
EMS	4 0
Other	1 0

- ☐ Resource counts include aid received resources.

G2 Estimated Dollar Losses and Values

Losses: Required for all fires if known. Optional for all non-fires. None

Property:	\$ 80,000.00	☐
Contents:	\$ 15,000.00	☐

Pre-Incident Values: Optional None

Property:	\$ 91,600.00	☐
Contents:	\$	☒

Completed Modules ☐ 2 - Fire ☐ 3 - Structure Fire ☐ 4 - Civilian Fire Cas. ☐ 5 - Fire Service Cas. ☐ 6 - EMS ☐ 7 - HazMat ☐ 8 - Wildland Fire ☐ 9 - Apparatus ☐ 10 - Personnel ☐ 11 - Arson	H1 Casualties ☐ None Deaths Injuries Fire Service 0 0 Civilian 0 1	H3 Hazardous Materials Release ☐ 1 - Natural Gas ☐ 2 - Propane Gas ☐ 3 - Gasoline ☐ 4 - Kerosene ☐ 5 - Diesel Fuel / Fuel Oil ☐ 6 - Household Solvents ☐ 7 - Motor Oil ☐ 8 - Paint ☐ 0 - Other ☒ None	I Mixed Use Property ☐ Not Mixed ☐ 10 - Assembly Use ☐ 20 - Education Use ☐ 33 - Medical Use ☐ 40 - Residential Use ☐ 51 - Row Of Stores ☐ 53 - Enclosed Mall ☐ 58 - Business and Residential ☐ 59 - Office Use ☐ 60 - Industrial Use ☐ 63 - Military Use ☐ 65 - Farm Use ☐ 00 - Other Mixed Use
	H2 Detector Required for Confined Fires ☐ 1 - Detector Alerted Occupants ☐ 2 - Detector Did Not Alert Them ☐ 3 - Unknown		

J Property Use ☐ None Structures ☐ 131 - Church, Place of Worship ☐ 161 - Restaurant or Cafeteria ☐ 162 - Bar/Tavern or Nightclub ☐ 213 - Elementary School, Kindergarten ☐ 215 - High School, Junior High ☐ 241 - College, Adult Education ☐ 311 - Nursing Home ☐ 331 - Hospital	☐ 341 - Clinic, Clinic-Type Infirmary ☐ 342 - Doctor/Dentist Office ☐ 361 - Prison or Jail, Not Juvenile ☒ 419 - 1- or 2-Family Dwelling ☐ 429 - MultiFamily Dwelling ☐ 439 - Rooming/Boarding House ☐ 449 - Commerical Hotel or Motel ☐ 459 - Residential, Board and Care ☐ 464 - Dormitory/Barracks ☐ 519 - Food and Beverage Sales	☐ 539 - Household Goods, Sales, Repairs ☐ 571 - Gas or Service Station ☐ 579 - Motor Vehicle/Boat Sales/Repairs ☐ 599 - Business Office ☐ 615 - Electric-Generating Plant ☐ 629 - Laboratory/Science Laboratory ☐ 700 - Manufacturing Plant ☐ 819 - Livestock/Poultry Storage (Barn) ☐ 882 - Non-Residential Parking Garage ☐ 891 - Warehouse
---	---	--

Outside ☐ 124 - Playground or Park ☐ 655 - Crops or Orchard ☐ 669 - Forest (Timberland) ☐ 807 - Outdoor Storage Area ☐ 919 - Dump or Sanitary Landfill ☐ 931 - Open Land or Field ☐ 936 - Vacant Lot	☐ 938 - Graded/Cared for Plot of Land ☐ 946 - Lake, River, Stream ☐ 951 - Railroad Right-of-Way ☐ 960 - Other Street ☐ 961 - Highway/Divided Highway ☐ 962 - Residential Street/Driveway ☐ 981 - Construction Site ☐ 984 - Industrial Plant Yard	Property Use: Description Look up and enter a Property Use code and description only if you have NOT checked a Property Use box.
---	---	--

--

K2				
Owner				
Owner				
Local Option	Person/Entity Type	Business Name (if applicable)	Phone Number	
	Ashley	Dubose		
Mr., Ms., Mrs.	First Name	MI	Last Name	Suffix
619		Mendota	ST-Street	
Number	Prefix	Street or Highway	Street Type	Suffix
Post Office Box		Apt./Suite/Room	City	
		55106		
State		Zip Code		

L Remarks: Fire personnel were called by police for a report of a fire on the second floor of a dwelling. Upon our arrival, flames were visible on the second floor, on the alpha and bravo sides. Police had all occupants out of the structure. Squad 1's crew pulled an attack hose line with Engine 4 pulling a backup hose line; working in the offensive strategy. Ladder 7 performed the primary search of the second floor; Engine 8 placed ladders for a secondary egress, established a water supply to Squad 1, and secured outside utilities. Engine 9's crew then established a water supply to Engine 4, completed a primary search on the first floor, in the basement, and checked for extension. Engine 9 secured power at the breakers. Fire companies continued to work on the fire floor with Engine 8 and Ladder 7 checking the attic for extension. Xcel secured gas and electric. Secondary search of all floors was completed by Engine 9. Car 20-Fire Investigator Blank completed their cause investigation. Medic 7 transported the occupant to Regions Hospital for evaluation. Ambulance 2 transported 1 police officer for evaluation. Overhaul and wash down complete. Board up on site. Command terminated.

M Authorization				
7220	Affolter, Mark	DC	C3	08/03/2022
Officer In Charge ID	Signature	Position or Rank	Assignment	Date
7220	Affolter, Mark	DC	C3	08/03/2022
Member Making Report ID	Signature	Position or Rank	Assignment	Date

NFIRS-2 Fire

A

62210	MN	08	03	2022	Station #7 (07)	SPFD220803034348	0
FDID	State	Month	Day	Year	Station	Number	Exposure

B

Property Details

B1 ☐ Not Residential
Estimated number of residential living units in the building of origin whether or not all units became involved

B2 ☐ Buildings Not Involved
Number of buildings involved

B3 ☒ None ☐ Less than 1 acre
Acres burned (outside fires)

C

On-Site Materials
Or Products

On-Site Materials
Storage Use

D

Ignition

D1
Area of Fire Origin

D2
Heat Source

D3
Item First Ignited

D4
Type of Material First Ignited

E1

Cause of Ignition

☐ 1 - Intentional
☐ 2 - Unintentional
☐ 3 - Failure of Equipment or Heat Source
☐ 4 - Act of Nature
☒ 5 - Cause Under Investigation
☐ U - Cause Undetermined After Investigation

E2

Factors Contributing to Ignition

Factor Contributing to Ignition

E3

Human Factors Contributing to Ignition

Check all applicable boxes
☒ None
☐ 1 - Asleep
☐ 2 - Possibly impaired by alcohol or drugs
☐ 3 - Unattended person
☐ 4 - Possibly Mentally Disabled
☐ 5 - Physically Disabled
☐ 6 - Multiple Persons Involved

☐ 7 - Age Was A Factor
Estimated Age of Person Involved
☐ Male ☐ Female

F1

Equipment Involved In Ignition

☒ None

Equipment Involved

Brand
Model
Serial #
Year

F2

Equipment Power Source

☒

Equipment Power Source

F3

Equipment Portability

☐ 1 - Portable
☐ 2 - Stationary
Portable equipment normally can be moved by one or two persons.

G

Fire Suppression Factors

H1

Mobile Property Involved

☐ 1 - Not involved in ignition, but burned
☐ 2 - Involved in ignition, but did not burn
☐ 3 - Involved in ignition and burned
☒ None

H2

Mobile Property Type and Make

Mobile Property Type

Mobile Property Make

Local Use

☐ Pre-Fire Plan Available
☐ Arson Report Attached
☐ Police Report Attached
☐ Coroner Report Attached
☐ Other Reports Attached

Mobile Property Model

Year

State

License Plate Number

VIN

NFIRS-3 Structure Fire

I1 Structure Type ☒ 1 - Enclosed Building ☐ 2 - Portable/Mobile Structure ☐ 3 - Open Structure ☐ 4 - Air-Supported Structure ☐ 5 - Tent ☐ 6 - Open Platform ☐ 7 - Underground Structure ☐ 8 - Connective Structure ☐ 0 - Other	I2 Building Status ☐ 1 - Under Construction ☒ 2 - In Normal Use ☐ 3 - Idle, Not Routinely Used ☐ 4 - Under Major Renovation ☐ 5 - Vacant and Secured ☐ 6 - Vacant and Unsecured ☐ 7 - Being Demolished ☐ 0 - Other ☐ U - Undetermined	I3 Building Height 2 Number of Stories At/Above Grade 1 Number of Stories Below Grade	I4 Main Floor Size 1100 Total Square Feet OR BY Length (ft) X Width (ft)
J1 Fire Origin 2 ☐ Below Grade Story of Fire Origin J2 Fire Spread ☐ 1 - Confined to Object of Origin ☐ 2 - Confined to Room of Origin ☒ 3 - Confined to Floor of Origin ☐ 4 - Confined to Building of Origin ☐ 5 - Beyond Building of Origin	J3 Number of Stories Damaged By Flame Number of Stories w/Minor Damage (1-24%) 1 Number of Stories w/Significant Damage (25-49%) Number of Stories w/Heavy Damage (50-74%) Number of Stories w/Extreme Damage (75-100%) *Count the roof as part of the highest story	K Type of Material Contributing Most to Flame Spread K1 Item Contributing Most to Flame Spread K2 Type of Material Contributing Most To Flame Spread	
L1 Presence of Detectors ☐ N - None Present ☐ 1 - Present ☒ U - Undetermined L2 Detector Type ☐ 1 - Smoke ☐ 2 - Heat ☐ 3 - Combination of Smoke and Heat ☐ 4 - Sprinkler, Water Flow Detection ☐ 5 - More Than One Type Present ☐ 0 - Other ☐ U - Undetermined	L3 Detector Power Supply ☐ 1 - Battery Only ☐ 2 - Hardwire Only ☐ 3 - Plug-In ☐ 4 - Hardwire With Battery ☐ 5 - Plug-In With Battery ☐ 6 - Mechanical ☐ 7 - Multiple Detectors & Power Supplies ☐ 0 - Other ☐ U - Undetermined L4 Detector Operation ☐ 1 - Fire Too Small To Activate ☐ 2 - Operated ☐ 3 - Failed To Operate ☐ U - Undetermined	L5 Detector Effectiveness ☐ 1 - Alerted Occupants, Occupants Responded ☐ 2 - Alerted Occupants, Occupants Failed to Respond ☐ 3 - There Were No Occupants ☐ 4 - Failed to Alert Occupants ☐ U - Undetermined L6 Detector Failure Reason ☐ 1 - Power Failure, Shutoff, or Disconnect ☐ 2 - Improper Installation or Placement ☐ 3 - Defective ☐ 4 - Lack of Maintenance, Dirty ☐ 5 - Battery Missing or Disconnected ☐ 6 - Battery Discharged or Dead ☐ 0 - Other ☐ U - Undetermined	
M1 Presence of Automatic Extinguishing System ☒ N - None Present ☐ 1 - Present ☐ 2 - Partial System Present ☐ U - Undetermined M2 Type of Automatic Extinguishing System ☐ 1 - Wet-Pipe Sprinkler ☐ 2 - Dry-Pipe Sprinkler ☐ 3 - Other Sprinkler System ☐ 4 - Dry Chemical System ☐ 5 - Foam System ☐ 6 - Halogen-Type System ☐ 7 - Carbon Dioxide System ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range of AES	M3 Operation of Automatic Extinguishing System ☐ 1 - Operated/Effective ☐ 2 - Operated/Not Effective ☐ 3 - Fire Too Small To Activate ☐ 4 - Failed To Operate ☐ 0 - Other ☐ U - Undetermined Required if fire was within designed range M4 Number of Sprinkler Heads Operating Required if system operated	M5 Reason for Automatic Extinguishing System Failure ☐ 1 - System Shut Off ☐ 2 - Not Enough Agent Discharged ☐ 3 - Agent Discharged But Did Not Reach Fire ☐ 4 - Wrong Type of System ☐ 5 - Fire Not In Area Protected ☐ 6 - System Components Damaged ☐ 7 - Lack of Maintenance ☐ 8 - Manual Intervention ☐ 0 - Other ☐ U - Undetermined Required if system failed or not effective	