



April 8, 2025

NOTICE OF PUBLIC HEARING

Sound Level Variance

Wabasha Brewing Co – Weekends at Wabasha – May

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

Description of Variance:

Location: 429 Wabasha Street S

Noise Source: Deanna Vastine, Wabasha Brewing Co, Events Coordinator, has requested a sound level variance, for 80 dBA at no specified distance, to present amplified sound with use of a sound system for a Weekends at Wabasha – May event series on Fridays May 2, May 9, and May 23, 2025 and on Saturday May 3, May 10, and May 24, 2025 at 429 Wabasha St South. The variance is requested for the hours of 5:00 p.m. to 9:00 p.m. with a pre-event sound check at 4:30 p.m. on Fridays May 2, 9, and 23, 2025 and for the hours of 1:00 p.m. to 9:00 p.m. on Saturdays May 3, 10, and 24, 2025 with pre-event sound checks at 12:30 p.m. The Department of Safety and Inspections will be recommending the following conditions: 1) The Variance shall be for the hours of 5:00 p.m. to 9:00 p.m. with a pre-event sound check at 4:30 p.m. on Fridays May 2, 9, and 23, 2025 and for the hours of 1:00 p.m. to 9:00 p.m. on Saturdays May 3, 10, and 24, 2025 with pre-event sound checks at 12:30 p.m. for a Weekend at Wabasha – May event series. 2) All electronically powered equipment used in conjunction with the event shall not exceed 80 dBA at 50 feet from any sound source on Fridays May 2, 9, and 23, 2025 and Saturdays May 3, 10 and 24, 2025. 3) The applicant shall monitor the decibel level from the variance approved distance of each noise source and create a report that records the general operating decibel levels within 15 minutes of the start each performing act and at intervals no greater than 60 minutes apart thereafter. The report shall be made available for viewing by city staff, upon request during the variance or within 30 days thereafter. Applicant shall also conduct a decibel reading during the variance upon request of city staff. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 9:00 p.m. on Fridays May 2, 9, and 23, 2025 and Saturdays May 3, 10 and 24, 2025.

Submit comments for Public Hearing electronically. The public may comment on public hearing items in person, in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, April 15, 2025, will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us, CouncilHearing@ci.stpaul.mn.us, or by voicemail at 651-266-6805. Live testimony will be taken in person in the Council Chambers, and by telephone by registering to speak by noon on the day before the meeting. The registration link is located on the City Council website at www.stpaul.gov/council or <https://forms.office.com/g/TD3xN7WHy5>.

Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, April 16, 2025

Time: 3:30 p.m.

Location: 3rd floor, City Hall Council Chambers

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, barb.mcmonigal-st.dennis@ci.stpaul.mn.us