RLH CO 23-9



APPLICATION FOR APPEAL

Saint Paul City Council – Legislative Hearings EIVED 310 City Hall, 15 W. Kellogg Blvd.

JUN 05 2023

Saint Paul, Minnesota 55102

Telephone: (651) 266-8585

We need the following to process your appeal:

Copy of the City-issued orders/let Attachments you may wish to inc. This appeal form completed Walk-In OR Mail-In for abatement orders only: © Em	ter being appealed lude 21159 ail OR OFax	HEARING DATE & TIME (provided by Legislative Hearing Office) Tuesday, 13 Time 2 PM - 4PM Location of Hearing: Room 330 City Hall/Courthouse
Address Being Appea		
Number & Street: 358 Arbo	or St City:	St. Paul State: MN Zip: 55102
Appellant/Applicant: Ronald Staeheli Email amercenttralinsp@aol.com		
Phone Numbers: Business 612-865-2	Residence	Cell Date:
Signature: Ja Sh		Date:
Name of Owner (if other than Appellan	t):	
Mailing Address if Not Appellant's:		
Phone Numbers: Business	Residence	Cell
What Is Being Appea Vacate Order/Condemnation/ Revocation of Fire C of O Summary/Vehicle Abatement Fire C of O Deficiency List/Correction Code Enforcement Correction Notice Vacant Building Registration Other (Fence Variance, Code Compliance, etc.)	Comments: Not a CO building, grandfathered, not	? Attachments Are Acceptable owner occupide, many items are required or not deficent.



375 Jackson Street, Suite 220 Saint Paul, MN 55101-1806 Tel: 651-266-8989 | Fax: 651-266-9124

May 4, 2023

Ronald Staeheli 4300 Blackhawk Rd Eagan Mn 55122-2211

Fire Safety Inspection Appointment

Dear Property Owner:

We have scheduled an inspection of your property. The details of the inspection are listed below:

Address: 358 Arbor St **Units:** 2

Date: May 18, 2023 **Time:** 1:30 p.m.

Inspector: Mitchell Imbertson **Phone:** 651-266-8986

Email: mitchell.imbertson@ci.stpaul.mn.

us

Action Required By You

You or someone representing you must report to the front of the building to accompany the inspector throughout the building, including each rental unit, where applicable. Please have keys available to all units and common areas. The owner of a building is responsible for notifying the tenants that an inspection will be done at least 24 hours before the inspection.

If you no longer own or manage this building, contact Mitchell Imbertson at 651-266-8986 immediately.

Additional Action Required For Housing

You must complete a Smoke and Carbon Monoxide Detector Affidavit prior to the inspection.

The success of your initial inspection determines what happens next in the inspection cycle. Routine self-inspections before our visit can help you obtain the best grade possible.

About the Inspection

Forms, fee schedules, a pre-inspection checklist and other inspection handouts and information are available on our website at: http://www.stpaul.gov/cofo. Thank you for your co-operation.

Saint Paul Legislative Code authorizes this inspection and the collection of inspection fees. It is a criminal misdemeanor violation to not appear for this appointment without rescheduling with the inspector. In addition, a No Entry fee may be assessed to your Renewal fee if you need to re-schedule the appointment but fail to notify the inspector in writing by 8:00 a.m. on the date of the inspection.



375 Jackson Street, Suite 220 Saint Paul, MN 55101-1806 Tel: 651-266-8989 | Fax: 651-266-9124

May 25, 2023

RONALD STAEHELI 4300 Blackhawk Rd Eagan MN 55122-2211

FIRE INSPECTION CORRECTION NOTICE

RE: 358 ARBOR ST

Ref. #125846

Residential Class: D

Dear Property Representative:

Your building was inspected on May 18, 2023 for the renewal of your Fire Certificate of Occupancy. Approval for occupancy will be granted upon compliance with the following deficiency list. The items on the list must be corrected prior to the re-inspection date. **A re-inspection will be made on June 26, 2023 at 3:00 p.m.**

Failure to comply may result in a criminal citation or the revocation of the Fire Certificate of Occupancy. The Saint Paul Legislative Code requires that no building shall be occupied without a Fire Certificate of Occupancy. The code also provides for the assessment of additional re-inspection fees.

YOU WILL BE RESPONSIBLE FOR NOTIFYING TENANTS IF ANY OF THE FOLLOWING LIST OF DEFICIENCIES ARE THEIR RESPONSIBILITY.

DEFICIENCY LIST

- 1. **Basement Dryer** MMC 504.1 Provide, repair or replace the dryer exhaust duct. Exhaust ducts for domestic clothes dryers shall be constructed of metal and shall have a smooth interior finish. The exhaust duct shall be a minimum nominal size of four inches (102 mm) in diameter and installed in accordance with the mechanical code. This work may require a permit(s). Call DSI at (651) 266-8989.
- 2. **Basement Dryer** MFGC 409.5 Provide an approved gas shut off valve within 6 feet of the appliance in accordance with the mechanical code. This work may require a permit(s). Call DSI at (651) 266-8989.

- 3. **Basement Laundry** SPLC 34.10 (7), 34.17(5) Repair and maintain the floor in an approved manner. *Repair or remove deteriorated platform floor in laundry area. The wood floor structure in this alarm is not stable and supported properly.*
- 4. **Basement Laundry** SPLC 34.10 (7), 34.17 (5) Repair and maintain the ceiling in an approved manner. *Repair area of ceiling near laundry area where moisture damaged and showing black mold/mildew like coating.*
- 5. **Basement Near Electrical Panel** MSFC 604.1 Remove unapproved exposed wiring and install in accordance with the electrical code. This work may require a permit(s). Call DSI at (651) 266-8989. Repair flexible conduit on right side of electrical panel. Conduit is not properly connected at one end and is damaged at other end. Remove exposed and improperly installed non-metallic wiring along wall near the electrical panels.
- 6. **Basement Stairway** SPLC 34.10 (3), 34.34(2) Repair or replace the damaged guardrail in an approved manner. *Replace guardrail in an approved manner.* Guardrail present is a thin wood lattice and is fastened using electrical cable staples.
- 7. **Basement Stairway** SPLC 34.10 (3), 34.34(2) Repair or replace the damaged handrail in an approved manner. *Properly secure loose handrail brackets*.
- 8. **Basement Water Heater** MFGC 501.2 Provide, repair or replace the fuel equipment vent or vent liner to develop a positive flow adequate to convey all products of combustion to the outside. This work may require a permit(s). Call DSI at (651) 266-8989. Repair vent connector on water heater sections of the vent connector are not secure and are improperly fastened with tape only and no screws.
- 9. **Exterior 2nd Floor above Rear Entry** SPLC 34.09 (4) a, 34.33 (3) a Repair and maintain the window glass. Windows shall be fully supplied with window panes which are without open cracks or holes.
- 10. **Exterior Behind Garage and Behind Rear Fence** SPLC 34.08 (6) Remove the accumulation of exterior storage that creates a nuisance or harbors rodents.
- 11. **Exterior Chimney** MFGC 503 Provide, repair or replace the fuel equipment vent or vent liner to develop a positive flow adequate to convey all products of combustion to the outside. This work may require a permit(s). Call DSI at (651) 266-8989. *Replace missing vent cap at top of chimney vent liner*.
- 12. **Exterior Deck** SPLC 34.08 (5), 34.32 (3) All accessory structures including, but not limited to, detached garages, sheds and fences shall be maintained structurally sound and in good repair. Provide and maintain exterior unprotected surfaces

- painted or protected from the elements. *Repair deck boards where loose and decayed.*
- 13. **Exterior Fence** SPLC 34.08 (5), 34.32 (3) All accessory structures including, but not limited to, detached garages, sheds and fences shall be maintained structurally sound and in good repair. Provide and maintain exterior unprotected surfaces painted or protected from the elements. *Repair or remove the damaged and leaning sections of wood fence.*
- 14. **Exterior Near Garage and Deck** MSFC 604.1 Remove unapproved exposed wiring and install in accordance with the electrical code. This work may require a permit(s). Call DSI at (651) 266-8989. Repair or remove improperly run exposed nonmetallic electrical wiring along the outside edge of deck and to the light near garage entry.
- 15. **Exterior** SPLC 34.09 (1)(2)(a), 34.33 (1)(b) Provide and maintain all exterior walls free from holes and deterioration. All wood exterior unprotected surfaces must be painted or protected from the elements and maintained in a professional manner free from chipped or peeling paint.
- 16. **Garage** SPLC 34.19 Provide access to the inspector to all areas of the building. *Provide access to garage for inspection.*
- 17. **Lower Unit CO Alarm** MN Stat. 299F.51 Immediately provide and maintain an approved Carbon Monoxide Alarm in a location within ten (10) feet of each sleeping area. Installation shall be in accordance with manufacturer's instructions.
- 18. **Lower Unit Kitchen** MSFC 604.6 Provide electrical cover plates to all outlets, switches and junction boxes where missing.
- 19. **Lower Unit Kitchen Rear Door** MSFC 1010.1.9 Remove unapproved locks from the unit doors. The door must be openable from the inside without the use of keys or special knowledge or effort. *Remove security chain lock from top of door, locks must be installed between 34 and 48 inches maximum height.*
- 20. **Lower Unit Living Room** SPLC 34.10 (7), 34.17 (5) Repair and maintain the ceiling in an approved manner. *Repair damaged and peeling area of ceiling near front of living room.*
- 21. **Lower Unit Smoke Alarm** MN Stat. 299F.362, MSFC 1103.8 Immediately provide and maintain a smoke alarm located outside each sleeping area. *Smoke alarm was missing at time of inspection and was re-installed at fire inspector request during*

- inspection. Replace missing smoke alarm in bedroom, bracket present where previously installed.
- 22. **Smoke Alarm Affidavit** SPLC 39.02(c) Complete and sign the smoke detector affidavit and return it to this office.
- 23. **Upper Unit Bathroom** MSFC 604.1 Repair or replace damaged electrical fixtures. This work may require a permit(s). Call DSI at (651) 266-8989. *Replace damaged outlet in bathroom. Plug connection is very loose and arcing when plugged in to.*
- 24. **Upper Unit Bathroom** MSFC 604.5 Discontinue use of extension cords used in lieu of permanent wiring. *Extension cord was being used to run through door into bathroom due to damaged bathroom outlet.*
- 25. **Upper Unit Bathroom** SPLC 34.11 (1), MSBC 2902.1, SPLC 34.35 (1), MPC 301.1 Repair or replace and maintain all parts of the plumbing system to an operational condition. Repair or replace and maintain an approved private hand sink. This work may require a permit(s). Call DSI at (651) 266-8989. Bathroom sink is damaged and not securely mounted, was being propped in place by stool at time of inspection.
- 26. **Upper Unit CO Alarm** MN Stat. 299F.51 Immediately provide and maintain an approved Carbon Monoxide Alarm in a location within ten (10) feet of each sleeping area. Installation shall be in accordance with manufacturer's instructions.
- 27. **Upper Unit Ceiling** SPLC 34.10 (7), 34.17 (5) Repair and maintain the ceiling in an approved manner. *Repair where damaged and peeling*.
- 28. **Upper Unit Electrical** MSFC 604.4 Discontinue use of all multi-plug adapters. *Provide approved power strips or plug directly into outlets. Remove 3-prong to 2-prong adapters.*
- 29. **Upper Unit Exterior Entry Stairway** MSFC 604.1- All light fixtures shall be maintained with protective globes if originally equipped.
- 30. **Upper Unit Living Room** MSFC 604.1- All light fixtures shall be maintained with protective globes if originally equipped.
- 31. **Upper Unit Rear Entry Door** SPLC 34.09(4), 34.33 (3) Repair and maintain the door in good condition. *Window in door has been improperly repaired and is not secure in door.*

- 32. **Upper Unit Smoke Alarm** MN Stat. 299F.362, MSFC 1103.8 Immediately provide and maintain a smoke alarm located outside each sleeping area. *Smoke alarm was missing at time of inspection and was re-installed at fire inspector request during inspection. Alarm needs to be properly mounted to a correctly installed bracket.*
- 33. **Upper Unit Wall** SPLC 34.10 (7), 34.17 (5) Repair and maintain the walls in an approved manner. *Wall is damaged around wall outlet in living room and outlet is taped in place to secure to wall. Repair cracks and bowing in wall plaster.*

Saint Paul Legislative Code authorizes this inspection and collection of inspection fees. For forms, fee schedule, inspection handouts, or information on some of the violations contained in this report, please visit our web page at: http://www.stpaul.gov/cofo

You have the right to appeal these orders to the Legislative Hearing Officer. Applications for appeals may be obtained at the Office of the City Clerk, 310 City Hall, City/County Courthouse, 15 W Kellogg Blvd, Saint Paul MN 55102 Phone: (651-266-8585) and must be filed within 10 days of the date of this order.

If you have any questions, email me at: mitchell.imbertson@ci.stpaul.mn.us or call me at 651-266-8986 between 7:30 a.m. - 9:00 a.m. Please help to make Saint Paul a safer place in which to live and work.

Sincerely,

Mitchell Imbertson Fire Safety Inspector

Reference Number 125846