



July 13, 2026

«AddressBlock»

NOTICE OF PUBLIC HEARING

Sound Level Variance
One Simple Plan – IndiaFest 2026

«GreetingLine»

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

Description of Variance:

Location: 75 Rev. Dr. Martin Luther King Jr. Blvd – Minnesota State Capitol Grounds

Noise Source: Clint Roberts, One Simple Plan, President, has requested a sound level variance, for 110 decibels (dBA) at fifty (50) feet, to present amplified sound with use of a sound system for the IndiaFest 2026 event on Saturday, August 15, 2026, at 75 Rev. Dr. Martin Luther King Jr. Blvd – Minnesota State Capitol Grounds. The variance is requested for the hours of 11:00 am to 10:00 pm on Saturday, August 15, 2026, with a pre-event sound check from 5:00 pm to 8:00 pm on Friday, August 14, 2026.

The Department of Safety and Inspections will be recommending the following conditions:

- 1)** The Variance shall be for the hours of 11:00 am to 10:00 pm on Saturday, August 15, 2026, and from 5:00 p.m. until 8:00 p.m. on Friday, August 14, 2026 for a pre-event sound check for the IndiaFest 2026 event.
- 2)** All electronically powered equipment used in conjunction with the event shall not exceed 90 dBA as measured at 50 feet from the sound source from 11:00 am to 10:00 pm on Saturday, August 15, and shall not exceed 80 dBA at 50 feet from any sound source during the pre-event sound check from 5:00 pm to 8:00 pm on Friday, August 14, 2026 for the IndiaFest 2026 event.
- 3)** The applicant shall monitor the decibel level from the variance approved distance of each noise source and create a report that records the general operating decibel levels within 15 minutes of the start of each performing act and at intervals no greater than 60 minutes apart thereafter. The report shall be made available for viewing by city staff upon request during the variance and within 30 days thereafter. The Applicant shall also conduct a decibel reading during the variance upon request of city staff.
- 4)** All electronically powered equipment, PA systems, loudspeakers, or similar devices shall be turned off no later than 7:59 pm on Friday, August 14, and 9:59 pm on Saturday, August 15, 2026.

Submit comments for Public Hearing electronically:

The public may comment on public hearing items in person, in writing or via voicemail. Any comments and materials submitted by 12:00 pm on the day before the meeting, Tuesday, August 4, 2026, will be attached to the public record and available for review by the City Council.

Comments may be submitted as follows:

Written public comment on public hearing items can be submitted to Contact-Council@ci.stpaul.mn.us or CouncilHearing@ci.stpaul.mn.us. Submit a comment by voicemail at 651-266-6805.

Live testimony will be taken in person in the Council Chambers and by telephone by registering to speak by noon on the day before the meeting. The registration link is located on the City Council website at www.stpaul.gov/council or <https://forms.office.com/g/TD3xN7WHy5>.

Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

A public hearing before the City Council on this variance request will be held on:

Date: Wednesday, August 5, 2026

Time: 3:30 pm

Location: 3rd floor, City Hall Council Chambers

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St. Dennis, Environmental Health Specialist at 651-266-9137 or barb.mcmonigal-st.dennis@ci.stpaul.mn.us.