



September 16, 2024

**NOTICE OF PUBLIC HEARING**

Sound Level Variance

**Minnesota United FC/Allianz Field – MNUFC Community Day**

Dear St. Paul Property Owner:

This is to inform you of a request for a variance from the sound level limitations as indicated in the St. Paul Noise Ordinance (Chapter 293 of the St. Paul Legislative Code). Property owned by you and located near the noise source, may be affected by this variance request. Rental property owners must provide a copy of this notice to all renters or post a copy in a common area of the building so it can be viewed by the occupants.

**Description of Variance:**

**Location:** 400 Snelling Ave N. – Outside of Allianz Field Area

**Noise Source:** Zacharia Litzelswope, Allianz Field Director, Events and Guest Experience, has requested a sound level variance, for 92 dBA at no specified distance to present amplified sound with use of a sound system for a MNUFC Community Day on October 4, 2024 outside of 400 Snelling Ave. N - Allianz Field. The variance is requested for the hours of 3:00 p.m. to 7:00 p.m. on October 4, 2024 with pre-event sound checks between 2:00 p.m. and 3:00 p.m. The Department of Safety and Inspections will be recommending the following conditions: 1) The Variance shall be for the hours of 3:00 p.m. to 7:00 p.m. on Friday, October 4, 2024 with pre-event sound checks between 2:00 p.m. and 3:00 p.m. 2) All electronically powered equipment used in conjunction with the event shall not exceed 90 dBA as measured at 50 feet from all sound sources on October 4, 2024. 3) The applicant shall monitor the decibel level from the variance approved distance of each noise source and create a report that records the general operating decibel levels within 15 minutes of the start each performing act and at intervals no greater than 60 minutes apart thereafter. The report shall be made available for viewing by city staff, upon request during the variance or within 30 days thereafter. Applicant shall also conduct a decibel reading during the variance upon request of city staff. The applicant shall provide personnel and equipment to ensure compliance with the sound level variance conditions. 4) All electronically powered equipment, PA systems, loudspeakers or similar devices shall be turned off no later than 7:00 p.m. on October 4, 2024, the event date.

**Submit comments for Public Hearing electronically.** The public may comment on public hearing items in person, in writing or via voicemail. Any comments and materials submitted by 12:00 pm of the day before the meeting, Tuesday, October 1, 2024, will be attached to the public record and available for review by the City Council. Comments may be submitted as follows: Written public comment on public hearing items can be submitted to [Contact-Council@ci.stpaul.mn.us](mailto:Contact-Council@ci.stpaul.mn.us), [CouncilHearing@ci.stpaul.mn.us](mailto:CouncilHearing@ci.stpaul.mn.us), or by voicemail at 651-266-6805. Live testimony will be taken in person in the Council Chambers, and by telephone by registering to speak by noon on the day before the meeting. The registration link is located on the City Council website at [www.stpaul.gov/council](http://www.stpaul.gov/council) or <https://forms.office.com/g/TD3xN7WHy5>. Members of the public may view City Council meetings online at <https://stpaul.legistar.com/Calendar.aspx> or on local cable Channel 18.

**A public hearing before the City Council on this variance request will be held on:**

Date: Wednesday, October 2, 2024

Time: 3:30 p.m.

Location: 3rd floor, City Hall Council Chambers

After the public hearing, the Council may grant, deny, or modify the variance request.

If you have questions about the sound level variance, please contact: Barb McMonigal-St.Dennis, Environmental Health Specialist, 651-266-9137, [barb.mcmonigal-st.dennis@ci.stpaul.mn.us](mailto:barb.mcmonigal-st.dennis@ci.stpaul.mn.us)